

JOURNAL
OF THE
FISHERIES RESEARCH BOARD
OF CANADA

Volume 25

1968

JOURNAL OF THE FISHERIES RESEARCH BOARD OF CANADA

Submissions for publication in the *Journal of the Fisheries Research Board of Canada* should concern aquatic organisms or environments that are relevant to Canada. They may be either original research articles or reviews, in English or in French. Articles are accepted without limitations as to origin, but must not have been published elsewhere or copyrighted. Opinions expressed by authors do not necessarily reflect those of the Board or policies of the Ministry of Fisheries of Canada.

A guide to contributors is included at the back of each *Journal* issue.

The publication of the *Journal*, together with its predecessors, has been continuous since 1901. Its predecessors are *Contributions to Canadian Biology* published from 1901 to 1925, *Contributions to Canadian Biology and Fisheries* from 1926 to 1934, and the *Journal of the Biological Board of Canada* from 1934 to 1937.

This *Journal* is published in annual volumes of twelve issues.

Editor:

J. C. STEVENSON, PH.D.

Associate Editor: L. W. BILLINGSLEY, PH.D.

Assistant Editor: R. H. WIGMORE, M.SC.

Production: R. L. MacIntyre, Marilyn Campbell, B.A.

Scientific Documentation: Martha Skulski, PH.D.

Fisheries Research Board of Canada
Office of the Editor
116 Lisgar Street
Ottawa 4, Ont., Canada

*Manuscripts for publication should be addressed to
the Editor*

All Fisheries Research Board of Canada publications are for sale by the Queen's Printer, Ottawa. Remittances must be in advance, payable in Canadian funds to the order of the Receiver General of Canada. Subscription rates to the *Journal* are: Canada, United States, Mexico, \$6.50, single issue \$1.00; to other countries, \$7.75 and \$1.25.

The Fisheries Research Board of Canada also publishes a *Bulletin* series (issued irregularly), an *Annual Report*, and a biennial *Review* of investigations. All publications may be consulted at Board establishments located at Ottawa; Nanaimo and Vancouver, B.C.; Winnipeg, Man.; Ste. Anne de Bellevue and Grande-Rivière, Que.; St. Andrews, N.B.; Halifax and Dartmouth, N.S.; Eilerslie, P.E.I.; and St. John's, Nfld.

CONTENTS

No. 1 (Published January 12, 1968)

FENDERSON, OWEN C., W. HARRY EVERHART, AND KENNETH M. MUTH. Comparative agonistic and feeding behavior of hatchery-reared and wild salmon in aquaria. . . .	1-14
CAILLOUET, CHARLES W., JR. Lactic acidosis in channel catfish.	15-23
HUNN, JOSEPH B., RICHARD A. SCHOETTGER, AND WAYNE A. WILLFORD. Turnover and urinary excretion of free and acetylated M.S. 222 by rainbow trout, <i>Salmo gairdneri</i>	25-31
HARTMAN, G. F., AND C. A. GILL. Distributions of juvenile steelhead and cutthroat trout (<i>Salmo gairdneri</i> and <i>S. clarki clarki</i>) within streams in southwestern British Columbia.	33-48
DAHLBERG, MICHAEL L., DEAN L. SHUMWAY, AND PETER DOUDOROFF. Influence of dissolved oxygen and carbon dioxide on swimming performance of largemouth bass and coho salmon.	49-70
DONALDSON, EDWARD M., ULF H. FAGERLUND, AND PETER J. SCHMIDT. Fluorimetric method for the determination of cortisol in small quantities of salmonid plasma. .	71-79
HALSEY, T. G. Autumnal and over-winter limnology of three small eutrophic lakes with particular reference to experimental circulation and trout mortality. . . .	81-99
NELSON, J. S. Hybridization and isolating mechanisms between <i>Catostomus commersonii</i> and <i>C. macrocheilus</i> (Pisces: Catostomidae).	101-150
SMITH, CHARLIE E. Hematological changes in coho salmon fed a folic acid deficient diet.	151-156
NARVER, DAVID W. The isopod <i>Mesidotea entomon</i> in the Chignik lakes, Alaska	157-167

NOTES

Pesticide residue in freshwater fish oils and meals. BY L. C. DUGAL.	169-172
Hematological correlations in the rainbow trout, <i>Salmo gairdneri</i> . BY A. H. HOUSTON AND MARY ANNE DEWILDE.	173-176
A harpoon adapter for tagging large free-swimming fish at the surface. BY J. S. BECKETT.	177-179
Two new specimens of the notacanthid fish <i>Macdonaldia challengeri</i> in the eastern North Pacific Ocean. BY ALEX E. PEDEN.	181-188
DDT residues and metabolites in Canadian Atlantic coast fish. BY J. R. DUFFY AND D. O'CONNELL.	189-195
Microorganisms from some tropical fish diseases. BY L. J. ALMEIDA, E. J. DaSILVA, AND YVONNE M. FREITAS.	197-201
Western range extension of the surf smelt, <i>Hypomesus pretiosus pretiosus</i> . BY DUANE E. PHINNEY AND MICHAEL L. DAHLBERG.	203-204
Records of earthworms from Vancouver, British Columbia. BY C. BERKELEY. . . .	205
Recent articles on investigations of the Fisheries Research Board of Canada published in other periodicals.	207

No. 2 (Published February 16, 1968)

SMITH, M. W., AND J. W. SAUNDERS. Effect of pond formation on catches of brook trout from a coastal stream system.	209-238
FRASER, DORIS I., DIANNE P. PITTS, AND W. J. DYER. Nucleotide degradation and organoleptic quality in fresh and thawed mackerel muscle held at and above ice temperature.	239-253
LAWLER, G. H., AND M. FITZ-EARLE. Marking small fish with stains for estimating populations in Heming Lake, Manitoba.	255-266

ACKMAN, R. G., AND H. J. HINGLEY. The occurrence and retention of dimethyl- β -propiothetin in some filter-feeding organisms.	267-284
KEAST, ALLEN. Feeding biology of the black crappie, <i>Pomoxis nigromaculatus</i> ..	285-297
PETERS, J. A., W. A. MACCALLUM, W. J. DYER, D. R. IDLER, J. W. SLAVIN, J. P. LANE, D. I. FRASER, AND E. J. LAISHLEY. Effect of stage of rigor and of freezing-thawing processes on storage quality of refrozen cod	299-320
KABATA, Z. Some Chondracanthidae (Copepoda) from fishes of British Columbia. .	321-345
SQUIRES, H. J. Decapod Crustacea from the Queen Elizabeth and nearby islands in 1962	347-362
TRUSCOTT, B., D. R. IDLER, R. J. HOYLE, AND H. C. FREEMAN. Sub-zero preservation of Atlantic salmon sperm.	363-372
JOHN, KENNETH R., AND DAVID M. GRING. Retinomotor rhythms in the bluegill, <i>Lepomis macrochirus</i>	373-381
WOLF, KEN, M. C. QUIMBY, C. P. CARLSON, AND G. L. BULLOCK. Infectious pancreatic necrosis: selection of virus-free stock from a population of carrier trout ..	383-391
HUNTER, JOHN R. Effects of light on schooling and feeding of jack mackerel, <i>Trachurus symmetricus</i>	393-407

NOTES

Distribution and nomenclature of North American kokanee, <i>Oncorhynchus nerka</i> . BY JOSEPH S. NELSON	409-414
Variation in gillraker number in North American kokanee, <i>Oncorhynchus nerka</i> . BY JOSEPH S. NELSON	415-420
Occurrence of <i>Parasudis truculentus</i> (Goode and Bean) 1895 (Iniomi: Chlorophthalmidae) off LaHave Bank, Nova Scotia. BY R. G. HALLIDAY	421-422
Infection of brook trout (<i>Salvelinus fontinalis</i>) by nocardiae. BY GORDON CAMPBELL AND R. M. MACKELVIE	423-425
Distribution of lobster larvae (<i>Homarus americanus</i>) off Pictou, Nova Scotia. BY D. J. SCARRATT	427-430
Biosynthesis of aldosterone and 18-hydroxycorticosterone from corticosterone by interrenal tissue of a teleost (<i>Clupea harengus harengus</i>). BY B. TRUSCOTT AND D. R. IDLER	431-435
Recent articles on investigations of the Fisheries Research Board of Canada published in other periodicals	437

No. 3 (Published March 8, 1967)

HOFFMAN, ETHELWYN G. Description of laboratory-reared larvae of <i>Paralithodes platypus</i> (Decapoda, Anomura, Lithodidae)	439-455
TAYLOR, F. H. C. The relationship of midwater trawl catches to sound scattering layers off the coast of northern British Columbia	457-472
GRONLUND, WILLIAM D., HAROLD O. HODGINS, RAYMOND C. SIMON, AND DOUGLAS D. WEBER. Blood lactate concentrations and mortality in sockeye and chinook salmon (<i>Oncorhynchus nerka</i> and <i>O. tshawytscha</i>) after exercise	473-484
KERNS, ORRA E., JR., AND JOHN R. DONALDSON. Behavior and distribution of spawning sockeye salmon on island beaches in Iliamna Lake, Alaska, 1965. . .	485-494
ALDERDICE, D. F., AND C. R. FORRESTER. Some effects of salinity and temperature on early development and survival of the English sole (<i>Parophrys vetulus</i>)	495-521
BROWN, SEWARD R. Absorption coefficients of chlorophyll derivatives	523-540
BERNARD, F. R. The aquiferous system of <i>Polinices lewisi</i> (Gastropoda, Prosobranchiata)	541-546
STRASDINE, G. A., AND JOANNE MELVILLE. Growth and spore production of <i>Clostridium botulinum</i> Type E in chemically defined media	547-553
PALOHEIMO, J. E., AND A. C. KOHLER. Analysis of the southern Gulf of St. Lawrence cod population	555-578

NOTES

Effects of diurnal fluctuations of dissolved oxygen on the growth of brook trout. BY WALTER R. WHITWORTH	579-584
Design of a controlled-environment incubator for small marine fish eggs. BY D. F. ALDERDICE AND F. P. J. VELSEN	585-588
Behaviour of herring schools in response to a midwater trawl. BY F. H. C. TAYLOR..	589-590
A postulated effect of growth on retention time of metabolites. BY L. L. EBERHARDT AND R. E. NAKATANI	591-596
<i>Ichthyophonus</i> infection in yellowtail flounder (<i>Limanda ferruginea</i>) off Nova Scotia. BY P. M. POWLES, D. G. GARNETT, G. D. RUGGIERI, AND R. F. NIGRELLI	597-598
A first report of chum salmon fry feeding in fresh water of British Columbia. BY R. A. H. SPARROW.	599-602
Addendum: Catecholamine and carbohydrate concentrations in rainbow trout (<i>Salmo gairdneri</i>) in relation to physical disturbance. BY T. NAKANO AND N. TOMLINSON	603
Ultrasound backscatter in fresh and thawed animal tissue. BY M. FREESE AND D. MAKOW	605-606
Characteristics of hemolymphs of <i>Cancer irroratus</i> , <i>C. borealis</i> , and <i>Hyas coarctatus</i> . BY JAMES E. STEWART AND J. R. DINGLE	607-610
Induction of skin pallor in juvenile salmonids by guanidine compounds. BY W. R. TODD, L. E. LAASTUEN, AND L. G. FOWLER	611-612
Recent articles on investigations of the Fisheries Research Board of Canada published in other periodicals.	613

No. 4 (Published April 8, 1967)

HOGAN, JAMES W., AND CHARLES O. KNOWLES. Some enzymatic properties of brain acetylcholinesterase from bluegill and channel catfish.	615-623
SEKI, HUMITAKE. Relation between production and mineralization of organic matter in Aburatsubo Inlet, Japan	625-637
CASTELL, C. H., AND D. M. SPEARS. Heavy metal ions and the development of rancidity in blended fish muscle	639-656
MACKAY, ISOBEL, AND G. POWER. Age and growth of round whitefish (<i>Prosopium cylindraceum</i>) from Ungava	657-666
SMITH, STANFORD H. Species succession and fishery exploitation in the Great Lakes CORNICK, JOHN W., AND JAMES E. STEWART. Interaction of the pathogen <i>Gaffkya homari</i> with natural defense mechanisms of <i>Homarus americanus</i>	667-693
HERGENRADER, GARY L., AND ARTHUR D. HASLER. Influence of changing seasons on schooling behavior of yellow perch	695-709
RAFAIL, SAMIR ZAKY. A statistical analysis of ration and growth relationship of plaice (<i>Pleuronectes platessa</i>)	711-716
MACCALLUM, W. A., JUNE I. JAFFRAY, D. N. CHURCHILL, AND D. R. IDLER. Condi- tion of Newfoundland trap-caught cod and its influence on quality after single and double freezing	717-732
PARKER, ROBERT R. Marine mortality schedules of pink salmon of the Bella Coola River, central British Columbia	733-755
	757-794

NOTES

Pathogenicity of <i>Gaffkya homari</i> for the crab <i>Cancer irroratus</i> . BY JOHN W. CORNICK AND JAMES E. STEWART.	795-799
Early larvae of the canary rockfish, <i>Sebastes pinniger</i> . BY KENNETH D. WALDRON	801-803
Reinterpretation of isopropyl alcohol retention in fish protein concentrate. BY R. G. ACKMAN AND P. H. ODENSE	805-806
Food of the buffalo sculpin, <i>Enophrys bison</i> . BY CLIFFORD RAY JOHNSON	807-812

Sexual dimorphism in anal fin of brown trout, <i>Salmo trutta</i> , and close relatives. BY C. G. GRUCHY AND V. D. VLADYKOV	813-815
Very rapid accumulation of hypoxanthine in the muscle of redfish stored in ice. BY DORIS I. FRASER, SYLVIA G. SIMPSON, AND W. J. DYER	817-821
Method for counting coho fry in small streams. BY W. CAULFIELD	823
Feeding behavior of three oceanic fishes (<i>Oncorhynchus kisutch</i> , <i>Trachurus symmetricus</i> , and <i>Anoplopoma fimbria</i>) from the northeastern Pacific. BY RICHARD B. GRINOLS AND CHARLES D. GILL	825-827
Thaw drip in frozen American plaice fillets, its seasonal variation and development during storage. BY W. J. DYER, DORIS I. FRASER, AND M. GREENWELL	829-833
Recent articles on investigations of the Fisheries Research Board of Canada published in other periodicals	835

No. 5 (Published May 21, 1968)

BEAMISH, F. W. H. Glycogen and lactic acid concentrations in Atlantic cod (<i>Gadus morhua</i>) in relation to exercise	837-851
LIU, D., AND P. M. TOWNSLEY. Glucose metabolism in the caecum of the marine borer <i>Bankia setacea</i>	853-862
EDELHAUSER, HENRY F., AND KENNETH A. SIEGESMUND. Ultrastructure of trout cornea	863-866
GROVES, ALAN B., GERALD B. COLLINS, AND PARKER S. TREFETHEN. Roles of olfaction and vision in choice of spawning site by homing adult chinook salmon (<i>Oncorhynchus tshawytscha</i>)	867-876
TEMPLEMAN, WILFRED. A review of the morid fish genus <i>Halargyreus</i> with first records from the western North Atlantic	877-901
SCOTT, W. B., AND S. N. TIBBO. Food and feeding habits of swordfish, <i>Xiphias gladius</i> , in the western North Atlantic	903-919
CASTELL, C. H., D. M. BISHOP, AND WANDA E. NEAL. Production of trimethylamine in frozen cod muscle	921-933
DAMBERGS, N., P. ODENSE, AND R. GUILBAULT. Changes in free amino acids in skeletal muscle of cod (<i>Gadus morhua</i>) under conditions simulating gillnet fishing	935-942
STEELE, DONALD H., AND PIERRE BRUNEL. Amphipoda of the Atlantic and Arctic coasts of North America: <i>Anonyx</i> (Lysianassidae)	943-1060

NOTES

Commercial redfish and flatfish (flounder) oils: comparative features of fatty acid composition. BY R. G. ACKMAN AND P. J. KE	1061-1065
Comparison of the otolith and scale methods for aging sockeye (<i>Oncorhynchus nerka</i>) and chum (<i>O. keta</i>) salmon. BY H. T. BILTON AND D. W. JENKINSON	1067-1069
Occurrence of the larvae of <i>Meganycitiphanes norvegica</i> (Crustacea, Euphausiacea) off West Greenland. BY LESLIE T. JONES	1071-1073
An occurrence of the pelagic stingray <i>Dasyatis violacea</i> in the Northwest Atlantic. BY W. B. SCOTT AND S. N. TIBBO	1075-1076
Extension of recorded range of butter sole, <i>Isopsetta isolepis</i> , into the Bering Sea. BY MITSUO YESAKI AND ROBERT J. WOLOTIRA, JR.	1077-1078
Observation of inertial oscillation in the Northwest Atlantic at 42°N. BY D. J. LAWRENCE	1079-1083
Food of Pacific salmon and steelhead trout in the Northeast Pacific Ocean. BY J. I. MANZER	1085-1089
A method of obtaining permanent dry mounted chromosome preparations from teleost fish. BY KENNETH W. STEWART AND CATHERINE B. LEVIN	1091-1093
Recent articles on investigations of the Fisheries Research Board of Canada published in other periodicals	1095

No. 6 (Published June 14, 1968)

RAO, DESIRAJU B. Natural oscillations of the Bay of Fundy	1097-1114
HARVEY, H. H., W. S. HOAR, AND C. R. BOTHERN. Sounding response of the kokanee and sockeye salmon	1115-1131
KEAST, ALLEN, AND LINDA WELSH. Daily feeding periodicities, food uptake rates, and dietary changes with hour of day in some lake fishes.	1133-1144
SPANGLER, GEORGE R. Angler harvest and mortality of <i>Esox masquinongy</i> in Pigeon and Sturgeon lakes, Ontario	1145-1154
BUERKLE, UDO. Relation of pure tone thresholds to background noise level in the Atlantic cod (<i>Gadus morhua</i>)	1155-1160
CRISP, D. J. Distribution of the parasitic isopod <i>Hemioniscus balani</i> with special reference to the east coast of North America	1161-1167
GRAHAM, JOSEPH J., AND PAUL M. W. VENNO. Sampling larval herring from tide- waters with buoyed and anchored nets	1169-1179
POWERS, CHARLES F., AND ANDREW ROBERTSON. Subdivisions of the benthic environment of the upper Great Lakes, with emphasis on Lake Michigan.....	1181-1197
KEAST, ALLEN. Feeding of some Great Lakes fishes at low temperatures	1199-1218
MATHEWS, STEPHEN B. An estimate of ocean mortality of Bristol Bay sockeye salmon three years at sea	1219-1227
DUTHIE, HAMISH C. Ecology of phytoplankton in Lake Belwood, a storage reservoir in southern Ontario	1229-1245
BELL, GORDON R. Distribution of transaminases (aminotransferases) in the tissues of Pacific salmon (<i>Oncorhynchus</i>), with emphasis on the properties and diagnostic use of glutamic-oxalacetic transaminase	1247-1268
BURSA, ADAM S. Starch in the oceans.....	1269-1284

NOTES

Influence of light on activity of brown trout (<i>Salmo trutta</i>). BY I. CHASTON.....	1285-1289
Estimation of the age of exploitation at a given fishing mortality. BY M. KRISHNAN KUTTY	1291-1294
Preliminary results in the fertilization of eggs with frozen sperm of Atlantic salmon (<i>Salmo salar</i>). BY R. J. HOYLE AND D. R. IDLER	1295-1297
An estimate of fecundity of the winter flounder, <i>Pseudopleuronectes americanus</i> . BY ROBERT W. TOPP	1299-1302
Asymptotic growth: an example of nonsense disguised as mathematics. BY WILLIAM KNIGHT	1303-1307
Recent articles on investigations of the Fisheries Research Board of Canada published in other periodicals	1309

No. 7 (Published July 12, 1968)

PEARCY, WILLIAM G., AND LAWRENCE F. SMALL. Effects of pressure on the respiration of vertically migrating crustaceans	1311-1316
ASPINWALL, NEVIN, AND H. TSUYUKI. Inheritance of muscle proteins in hybrids between the redeye shiner (<i>Richardsonius balteatus</i>) and the peamouth chub (<i>Mylocheilus caurinus</i>)	1317-1322
BOUCK, G. R., AND R. C. BALL. Comparative electrophoretic patterns of lactate dehydrogenase in three species of trout	1323-1331
OPHEL, I. L., AND J. M. JUDD. Marking fish with stable strontium	1333-1337
MORRISON, C. M., AND P. H. ODENSE. Ultrastructure of the striated muscle of the scallop (<i>Placopecten magellanicus</i>)	1339-1345
RYDER, R. A. Dynamics and exploitation of mature walleyes, <i>Stizostedion vitreum</i> <i>vitreum</i> , in the Nipigon Bay region of Lake Superior	1347-1376

DRYER, WILLIAM R., AND GEORGE R. KING. Rehabilitation of lake trout in the Apostle Islands region of Lake Superior	1377-1403
FAGER, E. W., AND A. R. LONGHURST. Recurrent group analysis of species assemblages of demersal fish in the Gulf of Guinea	1405-1421
RICKER, W. E., AND H. H. ROSS. North American species of <i>Taeniopteryx</i> (Plecoptera, Insecta)	1423-1439
RICHARD, JOSEPH D. Fish attraction with pulsed low-frequency sound	1441-1452
EDMUNDSON, ELTON, F. E. EVEREST, AND D. W. CHAPMAN. Permanence of station in juvenile chinook salmon and steelhead trout	1453-1464
FAGERLUND, ULF H. M., J. R. MCBRIDE, AND EDWARD M. DONALDSON. Effect of metopirone on pituitary-interrenal function in two teleosts, sockeye salmon (<i>Oncorhynchus nerka</i>) and rainbow trout (<i>Salmo gairdneri</i>)	1465-1474
SUTTON, A. H., AND J. M. OGILVIE. Uptake of sodium and phosphorus, and weight changes in prerigor cod muscle dipped in sodium tripolyphosphate solutions	1475-1484
GEE, J. H. Adjustment of buoyancy by longnose dace (<i>Rhinichthys cataractae</i>) in relation to velocity of water	1485-1496

NOTES

Effect of hypophysectomy on plasma osmolarity in goldfish and its reversal by ovine prolactin and a preparation of salmon pituitary "prolactin." By EDWARD M. DONALDSON, FUMIO YAMAZAKI, AND W. CRAIG CLARKE	1497-1500
Présence du <i>Salvelinus namaycush</i> (Pisces: Salmonidae) dans les eaux marines de l'Arctique occidental canadien. By JEAN BOULVA AND ANDRÉ SIMARD	1501-1504
"Wet" weight as a method for measuring stomach contents of walleyes, <i>Stizostedion vitreum vitreum</i> . By C. L. GLENN AND F. J. WARD	1505-1507
<i>Cyclopecten carlottensis</i> , a new species of Pectinidae from the northeastern Pacific. By F. R. BERNARD	1509-1510
Age and growth of lake sturgeon in the Saskatchewan River delta. By L. M. ROYER, F. M. ATTON, AND J.-P. CUERRIER	1511-1516
Electrophoretic separation of fish brain esterases. By CHARLES O. KNOWLES, SURESH K. ARURKAR, AND JAMES W. HOGAN	1517-1519
<i>Aeromonas</i> sp. infection in Great Lakes lampreys. By L. A. McDERMOTT	1521-1522
Recent articles on investigations of the Fisheries Research Board of Canada published in other periodicals	1523

No. 8 (Published August 18, 1968)

NOWLAN, SANDRA S., W. J. DYER, AND DORIS I. FRASER. Problems involved in the quantitative extraction of glycogen and high-energy phosphorus compounds in frozen cod muscle	1525-1538
TARR, H. L. A. Postmortem degradation of glycogen and starch in fish muscle	1539-1554
BILINSKI, E., AND L. J. GARDNER. Effect of starvation on free fatty acid level in blood plasma and muscular tissues of rainbow trout (<i>Salmo gairdneri</i>)	1555-1560
SIPOS, J. C., AND R. G. ACKMAN. Jellyfish (<i>Cyanea capillata</i>) lipids: fatty acid composition	1561-1569
HOGAN, JAMES W., AND CHARLES O. KNOWLES. Degradation of organophosphates by fish liver phosphatases	1571-1579
GOULD, EDITH. Malic enzyme: evidence for two molecular forms in the sarcoplasm of fish skeletal muscle	1581-1589
MILES, S. G. Rheotaxis of elvers of the American eel (<i>Anguilla rostrata</i>) in the laboratory to water from different streams in Nova Scotia	1591-1602
ACKMAN, R. G., C. S. TOCHER, AND J. McLACHLAN. Marine phytoplankter fatty acids	1603-1620
BUTLER, JERRY A., RAYMOND E. MILLEMANN, AND NELSON E. STEWART. Effects of the insecticide Sevin on survival and growth of the cockle clam <i>Clinocardium nuttalli</i>	1621-1635

TENCATI, JOHN R., AND STEPHEN R. GEIGER. Pelagic amphipods of the slope waters of northeast Greenland	1637-1650
HUANG, CHAU-TING, AND CLEVELAND P. HICKMAN, JR. Binding of inorganic iodide to the plasma proteins of teleost fishes	1651-1666
BOOKE, HENRY E. Cytotaxonomic studies of the coregonine fishes of the Great Lakes, USA: DNA and karyotype analysis.....	1667-1687
KUTTY, METHIL NARAYAN. Respiratory quotients in goldfish and rainbow trout	1689-1728

NOTES

Oxygen consumption of the spider crab (<i>Chionoecetes opilio</i>) and the American lobster (<i>Homarus americanus</i>) at a low temperature. BY D. W. MCLEESE AND J. WATSON	1729-1732
Temperature resistance of the spider crab <i>Chionoecetes opilio</i> . BY D. W. MCLEESE	1733-1736
A series of computer programs for summarising data from quantitative benthic investigations. BY DEREK V. ELLIS.....	1737-1738
Taxonomic correlation of the position of spinal ganglia in teleost fishes. BY JUDITH S. WEIS	1739-1740
A water core plankton sampler. BY RICHARD L. APPLGATE, ALFRED C. FOX, AND VICTOR J. STAROSTKA	1741-1742
Fertilized eggs of the butter sole, <i>Isopsetta isolepis</i> , in Skidegate Inlet, British Columbia. BY C. D. LEVINGS	1743-1744
Evaluation of fish homogenates for use as substrates in <i>Clostridium botulinum</i> type E investigations. BY J. W. BOYD AND B. A. SOUTHCOTT	1745-1747
An occurrence of ciliate red water in the Gulf of Maine. BY BERNARD J. MCALICE..	1749-1751
Comparative effectiveness of ethylenediaminetetraacetic acid and chlortetracycline for fish preservation. BY J. W. BOYD AND B. A. SOUTHCOTT	1753-1758
Corrections to recent publications of the Fisheries Research Board of Canada.....	1759-1760
Recent articles on investigations of the Fisheries Research Board of Canada published in other periodicals	1761

No. 9 (Published September 18, 1968)

STEWART, JAMES E., AND H. J. SQUIRES. Adverse conditions as inhibitors of ecdysis in the lobster <i>Homarus americanus</i>	1763-1774
SCOTT, J. S. Morphometrics, distribution, growth, and maturity of offshore sand lance (<i>Ammodytes dubius</i>) on the Nova Scotia banks	1775-1785
MACEK, KENNETH J. Reproduction in brook trout (<i>Salvelinus fontinalis</i>) fed sublethal concentrations of DDT	1787-1796
GAKSTATTER, JACK H. Rates of accumulation of ¹⁴ C-dieldrin residues in tissues of goldfish exposed to a single sublethal dose of ¹⁴ C-aldrin	1797-1801
BRAWN, V. M., D. L. PEER, AND R. J. BENTLEY. Caloric content of the standing crop of benthic and epibenthic invertebrates of St. Margaret's Bay, Nova Scotia	1803-1811
LEGAULT, ROMÉO-O., AND CLAUDE DELISLE. La fraye d'une population d'éperlans géants, <i>Osmerus eperlanus mordax</i> , au lac Heney, Comté de Gatineau, Québec ...	1813-1830
SIMARD, ANDRÉ, AND ÉTIENNE MAGNIN. Âge et croissance du maskinongé, <i>Esox masquinongy</i> , dans quatre lacs du Québec	1831-1842
MITCHELL, EDWARD. The Mio-Pliocene pinniped <i>Imagotaria</i>	1843-1900
JOHNSTON, C. E., AND J. G. EALES. Influence of temperature and photoperiod on guanine and hypoxanthine levels in skin and scales of Atlantic salmon (<i>Salmo salar</i>) during parr-smolt transformation	1901-1909
SWEERS, H. E. Two methods of describing the "average" vertical temperature distribution of a lake	1911-1922
PARKER, R. R., Z. KABATA, L. MARGOLIS, AND M. D. DEAN. A review and description of <i>Caligus curtus</i> Müller, 1785 (Caligidae: Copepoda), type species of its genus	1923-1969

GODFREY, H., D. D. WORLUND, AND H. T. BILTON. Tests on the accuracy of ageing chinook salmon (<i>Oncorhynchus tshawytscha</i>) from their scales	1971-1982
--	-----------

NOTES

Suggested physiological interaction among rainbow trout fingerlings undergoing thermal stress. BY ROBERT W. MCCAULEY	1983-1986
Temperatures of red and white muscle in recently caught marlin and other large tropical fish. BY C. C. LINDSEY	1987-1992
Another pink salmon (<i>Oncorhynchus gorbuscha</i>) in its third year. BY C. E. TURNER AND H. T. BILTON	1993-1996
Diel limnetic occurrence of young <i>Collus asper</i> in two British Columbia lakes. BY D. C. SINCLAIR	1997-2000
Corrélation entre la structure rétinienne et l'habitat chez <i>Stizostedion vitreum vitreum</i> et <i>S. canadense</i> . BY M. A. ALI AND M. ANCTIL	2001-2003
Social behavior among juvenile fall chinook salmon. BY PAUL E. REIMERS	2005-2008
Recent articles on investigations of the Fisheries Research Board of Canada published in other periodicals	2009

No. 10 (Published October 15, 1968)

SMITH, M. W. Fertilization and predator control to increase growth rate and yield of trout in a natural lake	2011-2036
STOCKNER, JOHN G. Algal growth and primary productivity in a thermal stream. . .	2037-2058
ANDERSON, MARGARET L., AND ELINOR M. RAVESI. Relation between protein extractability and free fatty acid production in cod muscle aged in ice	2059-2069
POWER, H. E., R. SINCLAIR, AND K. SAVAGAON. Use of EDTA compounds for the preservation of haddock fillets	2071-2082
ADDISON, R. F., R. G. ACKMAN, AND J. HINGLEY. Distribution of fatty acids in cod flesh lipids	2083-2090
QADRI, S. U. Growth and reproduction of the lake whitefish, <i>Coregonus clupeaformis</i> , in Lac la Ronge, Saskatchewan	2091-2100
BILLAUD, VERA A. Nitrogen fixation and the utilization of other inorganic nitrogen sources in a subarctic lake	2101-2110
HOGMAN, WALTER J. Annulus formation on scales of four species of coregonids reared under artificial conditions	2111-2122
CADDY, J. F. Underwater observations on scallop (<i>Placopecten magellanicus</i>) behaviour and drag efficiency	2123-2141
MILES, S. G. Laboratory experiments on the orientation of the adult American eel, <i>Anguilla rostrata</i>	2143-2155
JONAS, R. E. E. Dissolution of fish muscle homogenates by lysolecithin	2157-2164
MURRAY, A. R. Smolt survival and adult utilization of Little Codroy River, Newfoundland, Atlantic salmon	2165-2218

NOTES

Loss of radioactivity during storage of ¹⁴ C-labelled phytoplankton on membrane filters. BY D. G. WALLEN AND G. H. GEEN	2219-2224
Reproduction of white perch, <i>Roccus americanus</i> , in the Bay of Quinte, Lake Ontario. BY A. N. SHERI AND G. POWER	2225-2231
Tattoo-marking of fingerling salmonids with fluorescent pigments. BY RICHARD N. DUNCAN AND IVAN J. DONALDSON	2233-2236
A subcutaneous dart tag for fish. BY F. T. PLETCHER	2237-2240
Parasitism of the toxin-producing dinoflagellate <i>Gonyaulax catenella</i> by the endoparasitic dinoflagellate <i>Amoebophrya ceratii</i> . BY F. J. R. TAYLOR	2241-2245

Effect of the FP-66 tag on sablefish growth. BY W. A. KENNEDY	2247-2249
Delay of moult by the larvae of <i>Homarus americanus</i> . BY J. STANLEY COBB	2251-2253
Recent articles on investigations of the Fisheries Research Board of Canada published in other periodicals	2255

No. 11 (Published November 15, 1968)

BUDD, J. C., F. E. J. FRY, AND J. B. SMITH. Survival of marked lake trout in Lake Manitou, Manitoulin Island, Ontario	2257-2268
POWELL, N. A. Bryozoa (Polyzoa) of arctic Canada	2269-2320
GREER, G. L., AND U. PAIM. Degradation of DDT in Atlantic salmon (<i>Salmo salar</i>)	2321-2326
LORING, D. H., AND D. J. G. NOTA. Occurrence and significance of iron, manganese, and titanium in glacial marine sediments from the estuary of the St. Lawrence River	2327-2347
CUSHING, D. H. Direct estimation of a fish population acoustically	2349-2364
VAN DER LAND, JACOB, AND WILFRED TEMPLEMAN. Two new species of <i>Gyrocotyle</i> (Monogenea) from <i>Hydrolagus affinis</i> (Brito Capello) (Holocephali)	2365-2385
SYMONS, PHILIP E. K. Increase in aggression and in strength of the social hierarchy among juvenile Atlantic salmon deprived of food	2387-2401
VANSTONE, W. E., AND J. R. MARKERT. Some morphological and biochemical changes in coho salmon, <i>Oncorhynchus kisutch</i> , during parr-smolt transformation	2403-2418
JANGAARD, P. M., AND P. J. KE. Principal fatty acids of depot fat and milk lipids from harp seal (<i>Pagophilus groenlandica</i>) and hooded seal (<i>Cystophora cristata</i>)	2419-2426
COLTON, JOHN B., JR. Recent trends in subsurface temperatures in the Gulf of Maine and contiguous waters	2427-2437
WHITE, H. C., AND J. C. MEDCOF. Atlantic salmon scales as records of spawning history	2439-2441
MACEK, KENNETH J. Growth and resistance to stress in brook trout fed sublethal levels of DDT	2443-2451
BROOKE, RICHARD O., JOSEPH M. MENDELSON, AND FREDERICK J. KING. Sig- nificance of dimethyl sulfide to the odor of soft-shell clams	2453-2460
CROSS, F. A., S. W. FOWLER, J. M. DEAN, L. F. SMALL, AND C. L. OSTERBERG. Distribution of ⁶⁵ Zn in tissues of two marine crustaceans determined by auto- radiography	2461-2466
ALLEN, RICHARD L., THOMAS K. MEEKIN, GILBERT B. PAULEY, AND M. PAUL FUJIHARA. Mortality among chinook salmon associated with the fungus <i>Dermocystidium</i>	2467-2475
TSUYUKI, H., E. ROBERTS, R. H. LOWES, W. HADAWAY, AND S. J. WESTRHEIM. Contribution of protein electrophoresis to rockfish (Scorpaenidae) systematics	2477-2501

NOTES

Abnormal cessation of growth in a herring otolith. BY A. S. HOURSTON	2503-2504
Use of liquid scintillation counting for measuring self-absorption of carbon-14 in <i>Daphnia pulex</i> . BY R. K. BELL AND F. J. WARD	2505-2508
First records of three rockfish species (<i>Sebastes aurora</i> , <i>S. ciliatus</i> , and <i>Sebastes altivelis</i>) from waters off British Columbia. BY S. J. WESTRHEIM	2509-2513
Caloric values of some invertebrates in Lake Mendota, Wisconsin. BY THOMAS E. WISSING AND ARTHUR D. HASLER	2515-2518
A rapid marking technique for identification of individual fish. BY EBEN L. OWENS AND GARY A. GEBHARDT	2519-2520
A microturbellarian found in oysters off the coast of Prince Edward Island. BY M. D. B. BURT AND R. E. DRINNAN	2521-2522

<i>Triacnophorus nodulosus</i> in burbot, <i>Lota lota</i> , from Heming Lake, Manitoba. By G. H. LAWLER.	2523-2524
Recent articles on investigations of the Fisheries Research Board of Canada published in other periodicals	2525

No. 12 (Published December 31, 1968)

MACCRIMMON, HUGH R., AND T. L. MARSHALL. World distribution of brown trout, <i>Salmo trutta</i>	2527-2548
IDLER, D. R., AND B. J. SZEPLAKI. Interrenalectomy and stress in relation to some blood components of an elasmobranch (<i>Raja radiata</i>).	2549-2560
FITCH, JOHN E., AND ROBERT L. BROWNELL, JR. Fish otoliths in cetacean stomachs and their importance in interpreting feeding habits.	2561-2574
KALFF, J. Some physical and chemical characteristics of Arctic fresh waters in Alaska and northwestern Canada.	2575-2587
SEMAKULA, S. N., AND P. A. LARKIN. Age, growth, food, and yield of the white sturgeon (<i>Acipenser transmontanus</i>) of the Fraser River, British Columbia..	2589-2602
HART, J. S. Respiration of the Winnipeg goldeye (<i>Hiodon alosoides</i>).	2603-2608
HULBURT, EDWARD M. Stratification and mixing in coastal waters of the western Gulf of Maine during summer.	2609-2621
MOUNIB, M. S., P. C. HWANG, AND D. R. IDLER. Cryogenic preservation of Atlantic cod (<i>Gadus morhua</i>) sperm	2623-2632
CRISP, D. J. Differences between North American and European populations of <i>Balanus balanoides</i> revealed by transplantation.	2633-2641
MCDERMOTT, L. A., AND A. H. BERST. Experimental plantings of brook trout (<i>Salvelinus fontinalis</i>) from furunculosis-infected stock.	2643-2649
WILKINS, N. Ø. Multiple haemoglobins of the Atlantic salmon (<i>Salmo salar</i>).	2651-2663
DAY, DONALD S., AND WILLIAM G. PEARCY. Species associations of benthic fishes on the continental shelf and slope off Oregon.	2665-2675
ANDERSON, JOHN M. Effect of sublethal DDT on the lateral line of brook trout, <i>Salvelinus fontinalis</i>	2677-2682
SCARRATT, D. J. An artificial reef for lobsters (<i>Homarus americanus</i>).	2683-2690

NOTES

Metabolism of the radioisotope ⁶⁵ Zn in the freshwater mussel <i>Anodonta californiensis</i> . By GILBERT B. PAULEY AND ROY E. NAKATANI.	2691-2694
Effects of chilled storage on viability of stored ova and sperm of sockeye and pink salmon. By F. C. WITHLER AND R. B. MORLEY.	2695-2699
Simplification of a method of computing recruitment rates. By K. RADWAY ALLEN	2701-2702
Reproductive isolating mechanisms of the blackspotted stickleback, <i>Gasterosteus wheatlandi</i> . By HOWARD M. REISMAN.	2703-2706
New records of the barnacle <i>Conchoderma virgatum</i> in the northwest Atlantic. By J. S. BECKETT.	2707-2710
Localization of creatine kinase in the starch-gel and moving-boundary electrophoretic patterns of fish muscle. By C. GOSSELIN-REY, G. HAMOIR, AND R. K. SCOPES	2711-2714
Polymorphism in carp muscle creatine kinase. By R. K. SCOPES AND C. GOSSELIN-REY.	2715-2716
Upper lethal temperatures at various levels of salinity in the euryhaline cyprinodontids <i>Fundulus heteroclitus</i> and <i>F. diaphanus</i> after isosmotic acclimation. By E. T. GARSIDE AND C. M. JORDAN	2717-2720
First occurrence of Greenland halibut (<i>Reinhardtius hippoglossoides</i>) in the Bay of Fundy. By B. E. BARRETT.	2721-2722
Lobsters from 95 fath deep off St. John's, Newfoundland. By H. J. SQUIRES AND G. P. ENNIS.	2723-2724

Overwintering of American lobsters, <i>Homarus americanus</i> , in burrows in Bideford River, Prince Edward Island. BY M. L. H. THOMAS.....	2725-2727
Occurrences of the staghorn sculpin (<i>Gymmocanthus tricuspis</i>) in Newfoundland waters. BY G. P. ENNIS.....	2729-2731
First records of the sculpins <i>Myoxocephalus thompsonii</i> and <i>Cottus ricei</i> from the Ottawa Valley, southwestern Quebec. BY CLAUDE DELISLE AND W. VAN VLIET.....	2733-2737
Surface phosphate and silicate distributions in the northeastern Pacific Ocean. BY P. KILHO PARK, STEPHEN W. HAGER, JACQUES E. PIRSON, AND DAVID S. BALL	2739-2741
Estimating mean weight from length statistics. BY L. V. PIENAAR AND W. E. RICKER	2743-2747
Possible effects of the harbour seal bounty on codworm infestations of Atlantic cod in the Gulf of St. Lawrence, the Strait of Belle Isle, and the Labrador Sea. BY MICHAEL WILES.....	2749-2753
Index to publications for 1968.....	2755-2849

of
at
of
fo
m

a

p

b
Z
i

t

c
n

n
c
i
a
f
c

Guide to Contributors

JOURNAL OF THE FISHERIES RESEARCH BOARD OF CANADA

The *Style Manual for Biological Journals*, 2nd edition, published by the American Institute of Biological Sciences, 2000 P Street NW, Washington, D.C., has been adopted as the guide to authors. *Webster's Third New International Dictionary* is the standard for spelling and division of words in English; *le Grand Larousse Encyclopédique*, for those in French. Exceptions are made for papers that follow the *Oxford English Dictionary* entirely. For readability and appeal, writing must be clear, logical, and precise.

STYLE AND ORGANIZATION

Original research papers should conform as far as possible to the following pattern, although unnecessary standardization is not desired:

Title must be kept short, specific, and informative for retrieval systems. Subtitles and series papers should be avoided.

Abstract must be complete in itself. It should be informative in scope, methods, and results; briefly indicate significance of the findings; be free of unnecessary description; and not exceed 200 words. Authors are encouraged to provide an abstract in both languages; one must be provided in the same language as the text.

Introduction should outline the problem, referring only to pertinent investigations, and define the objectives or reasons for the study.

Materials and methods or *Experimental procedures* should include a description of design and organization of the investigation. Procedures, including those for statistical analyses of data, must be either referenced or described in enough detail to permit the work to be repeated.

Results are preferably separated from discussion. The text must be meaningful without reading of tables, illustrations, or other research; these should be referred to in parentheses. Only data necessary to support the text should be given. Data must not be duplicated in tables and in illustrations, and should be summarized so that they can be easily understood. Statistical analyses should be used when appropriate to aid in interpreting the data, but should not mask the comparisons of interest. Inclusion of preliminary or raw data, even in an appendix, is discouraged. Measurements should be reported in metric units.

Discussion should give the significance of the findings, and their relation to published research. Importance of this section cannot be overemphasized.

Conclusions as a separate section are optional.

Acknowledgments, if included, are placed at end of text.

References should be listed alphabetically by author, without numbers, in the form described by the *Style Manual for Biological Journals*. Citations in text are made by the *name-and-year* system. Manuscript reports may be listed in the References, but should be cited in the text with the letters "MS" preceding the year.

Notes are for publishing research with narrow boundaries that may result as a by-product of investigations, for describing research techniques and fishing methods, for establishing publication priority, and for reporting useful information from projects that were terminated before completion. This section is not a repository for inferior research. If the scope of the Note permits.

it may be organized like a research paper except that it must have no abstract and the author is identified at the end. Total length must not exceed four printed pages. Otherwise, organization is flexible.

Review articles should include an abstract, assess the state of research and knowledge on the subject, and be organized under a logical sequence of topics.

PREPARATION OF COPY

Authors, typists, and draftsmen are urged to follow the more detailed instructions for preparing copy in the *Style Manual for Biological Journals*.

Manuscripts must be typed double-spaced on 8.5- by 11-inch bond paper. Show only the title, author(s), and sponsoring institution on the front page. Suggest a running head, 40 characters or less. The original and one copy are to be submitted. Multigraphing on bond paper is acceptable.

Tables and illustrations should be self-explanatory. Consistency in headings and in format is desirable whenever possible. Avoid obscure abbreviations. Size of tables should be 8.5 by 11 inches or less. **Do not** use vertical rules.

Line drawings should be made with black india ink or printed transparent overlays on white drawing or tracing paper. Coordinate paper with orange, yellow, green, or red grids **must not** be used. All lines, symbols, letters, and numerals must be neat, and of the appropriate size for the desired reduction. Do not use typewriting. Two or more drawings should be grouped whenever possible, making full use of space available. In full-page illustrations, the ratio of width to height should conform to that of the Journal page (5 by 7.5 inches) with allowance for captions. Captions for illustrations should be typed on a separate sheet (or sheets) at the end of the manuscript, and each illustration must be identified. Size of illustrations ordinarily should be 8.5 by 11 inches or less.

Prints of photographs should be made on glossy paper with a wide range in tone. They should be cropped, squared, and mounted with rubber cement on white cardboard, without space between those arranged in groups. Make full use of available space.

Originals of line drawings **must** be submitted. Both originals and photographs should be protected with tracing paper or clear-filament plastic, and accompanied by two sets of copies to go with the manuscript to referees.

Manuscripts and illustrations should be carefully checked before they are submitted. Mail them flat, without staples or clips.

PROOFS AND REPRINTS

Galley proof is sent to the author and responsibility for any errors left in it rests with him.

Fifty reprints, without covers, are supplied free of charge. When you return the galley proof you may order additional reprints.

(On peut se procurer des exemplaires de ce Guide en français chez l'éditeur.)

